## List of Claims

1. (currently amended) A method of testing a variable valve mechanism for an internal combustion engine, comprising the steps of:

operating the engine;

inducing a misfire at least in part by commanding a change to a state of a variable valve mechanism at a predetermined timing in an engine cycle for a cylinder being supplied with fuel in said engine cycle; and

detecting whether a misfire occurred.

- 2. (original) The method of claim 1 wherein the inducing step includes a step of retarding an intake valve closing timing.
- 3. (original) The method of claim 1 wherein the inducing step includes a step of retarding injection timing.
- 4. (original) The method of claim 1 wherein the operating step includes a step of controlling the engine to operate at a predetermined speed; and

the detecting step includes a step of detecting an injection quantity increase.

- 5. (original) The method of claim 1 wherein the detecting step includes a step of detecting vibrational change from the engine.
- 6. (original) The method of claim 1 wherein the inducing step includes a step of retarding an exhaust valve closing timing.
- 7. (original) The method of claim 1 wherein the inducing step includes a step of reducing a maximum cylinder pressure.
- 8. (original) The method of claim 1 wherein the inducing and detecting steps are performed sequentially on individual engine cylinders.

9. (original) The method of claim 1 including a step of opening a valve via a cam rotation;

activating the variable valve mechanism before a cam dictated valve closing timing; and

deactivating the variable valve mechanism at a timing that will reduce a maximum cylinder pressure.

- 10. (original) The method of claim 1 including a step of logging an engine fault; identifying an engine cylinder associated with the logged engine fault; and performing the inducing and detecting steps on the engine cylinder.
- 11.. (currently amended) An electronic control module for an internal combustion engine comprising:

a computer readable data storage medium;

a variable valve mechanism testing algorithm recorded on the medium, and being operable to command a change to a state of a variable valve mechanism at a predetermined timing in an engine cycle for a cylinder being supplied with fuel in said engine cycle; and

the testing algorithm including an engine cylinder misfire detection algorithm operable to detect a misfire in said engine cycle.

- 12. (original) The electronic control module of claim 11 wherein said testing algorithm includes a valve closing timing retarding algorithm.
- 13. (original) The electronic control module of claim 12 wherein said testing algorithm includes a fuel injection timing retarding algorithm.
- 14. (original) The electronic control module of claim 11 wherein said misfire detection algorithm includes an injection quantity increase detection algorithm.
- 15. (original) The electronic control module of claim 11 wherein said testing algorithm includes an engine cylinder selection algorithm; and a test result recording algorithm.
  - 16. (currently amended) A machine comprising:

a chassis;

an engine mounted on said chassis and being equipped with at least one variable valve mechanism; and

means for testing said variable valve mechanism that includes means for inducing an engine cylinder misfire at least in part by commanding a change to a state of the variable valve mechanism at a predetermined timing in an engine cycle for a cylinder being supplied with fuel in said engine cycle.

- 17. (original) The machine of claim 16 wherein said means for testing includes an electronic control module having a variable valve mechanism testing algorithm.
- 18. (original) The machine of claim 16 wherein said means for testing includes a diagnostic computer operably coupled to said engine.